	Application No.	Applicant(s)
Notice of Allowability	09/847,056	TAKATZ ET AL.
	Examiner	Art Unit
	Ted M. Wang	2634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included		
herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 11/10/2005.		
2. The allowed claim(s) is/are 1.3-13.15 and 16.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No.		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 🗖 איני מיני	12 1 14 15 15 17 17 17 17 17 17 17 17 17 17 17 17 17
1. Notice of References Cited (PTO-892)		nal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	il Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🗌 Examiner's Am	endment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Sta	tement of Reasons for Allowance
	9. 🔲 Other	

DETAILED ACTION

Response to Arguments

1. Applicants' amendments and arguments, filed on 11/10/2005, with respect to Claims 1, 3-13, 15, and 16 have been fully considered. The 35U.S.C. 103(a) rejections have been overcome by rewritten those objected claims – dependent claims in independent form including all of the limitations of the base claim and any intervening claims.

Allowable Subject Matter

- 2. Claims 1, 3-13, 15, and 16 are allowed.
- 3. The following is an examiner's statement of reasons for allowance.
 - The prior art fails to teach an apparatus of Claims 1, 7-9, 15, and 16 that specifically comprises the following:
 - -- The instant application is deemed to be directed to a non-obvious improvement over the admitted prior art of the instant application and the invention patented in Pat. No. US 5,175,883, US 6,556,636, and US 6,731,703. The improvement comprises-

With regard Claim 1, "if the wideband variance value is greater than the narrowband variance value, comparing the narrowband and wideband variance values to determine a scale factor for the input to the variable gain amplifier." as recited,

With regard Claims 7 and 15, "wherein the wideband variance value is determined from components of the received RF signal across a

bandwidth which is at least twice as wide as a bandwidth of the intended received signal." as recited, and

With regard Claims 8 and 16, "wherein the narrowband variance value is determined from components of the received RF signal across a bandwidth which is less than twice a bandwidth of the intended received signal." as recited, and

With regard claim 9, "<u>a comparator, for comparing the narrowband</u> and wideband variance values to determine a scale factor for the input to the variable gain amplifier." as recited.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ted M. Wang whose telephone number is (571) 272-3053. The examiner can normally be reached on M-F, 7:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on (571) 272-3056. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2634

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at (866) 217-9197 (toll-free).

Ted M Wang

Examiner

Art Unit 2634

Ted M. Wang

STEPHEN CHIN

SUPERVISORY PATENT EXAMINE TECHNOLOGY CENTER 2600